

Authorized Distributor of:



Belden Category-5 Networking Cables (25 Pairs)

Illustration	Product Code	Description	Application	Unit Price
	1374R	Belden® Category-5e UTP 25 Pairs Riser Cable 24 AWG Solid Bare Copper Conductors Polyolefin Insulation Gray PVC Jacket with Rip Cord	Telecommunication and Network Riser Cable	







Belden Fire Rated Cable (1 Pair)

Illustration	Product Code	Description	Application	Unit Price
	Y62071	Belden® Fire Resistant Cable - 1 Shielded Twisted Pair 16 AWG Bare Copper Conductors with XLPE Insulation Overall 100% Foil Shield with Drain Wire Mica Glass Tape Fire Resistant Barrier Red LSZH Outer Jacket Compliant with BS EN50288-7, IEC 60332-3C, IEC 60331-21, BS 6387 CWZ (Fire Survival of 3 Hours at 950°C)	Fire Resistant Security and FDAS Cable	




Belden Building Management Cable (1 Pair)

Illustration	Product Code	Description	Application	Unit Price
	5300FH	Belden® 18 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Polyolefin Insulation Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Gray PVC Jacket; CMR Rated	Security and Commercial Audio	




Belden Category-5e Networking Cables (4 Pairs)

Illustration	Product Code	Description	Application	Unit Price
	1300A	Belden® DataTwist® Category-5e 4 Twisted Pairs Outdoor FTP 24 AWG Solid Bare Copper Conductors Overall Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Polyolefin Insulation Sunlight and UV Resistant Black PVC Jacket	Outdoor Data, LAN and Networking Cable; RJ-45 Compatible	
	1375A	Belden® DataTwist® Category-5e 4 Twisted Pairs Outdoor FTP 24 AWG Solid Bare Copper Conductors Overall Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Polyolefin Insulation Black Polyethylene Jacket	Outdoor Data, LAN and Networking Cable; RJ-45 Compatible	
	1624RA	Belden® DataTwist® Category-5e 4 Twisted Pairs Indoor STP 24 AWG Solid Bare Copper Conductors Overall Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Polyolefin Insulation; Light Gray PVC Jacket	Data, LAN and Networking Cable; RJ-45 Compatible	
	1583A	Belden® DataTwist® Category-5e 4 Twisted Pairs Indoor UTP 24 AWG Solid Bare Copper Conductors Polyolefin Insulation Gray PVC Jacket with Ripcord UL CMR Rated	Data, LAN and Networking Cable; RJ-45 Compatible	
	1592A	Belden® DataTwist® Category-5e 4 Twisted Pairs Indoor UTP 24 AWG Stranded Bare Copper Conductors Polyolefin Insulation Gray PVC Jacket	Data, LAN and Networking Cable; RJ-45 Compatible	
	YJ55205	Belden® DataTwist® Category-5e 4 Twisted Pairs Indoor UTP 24 AWG Solid Bare Copper Conductors Polyolefin Insulation Gray PVC Jacket UL CM Rated	Data, LAN and Networking Cable; RJ-45 Compatible	





Belden Category-6 Networking Cables (4 Pairs)

Illustration	Product Code	Description	Application	Unit Price
	7814A	Belden® Category-6 4 Twisted Pairs UTP 24 AWG Solid Bare Copper Conductors Patented E-Spline Center Member Polyolefin Insulation Gray PVC Jacket	Data, LAN and Networking Cable	
	1381A	Belden® Category-6A 4 Twisted Pairs STP 23 AWG Solid Bare Copper Conductors Aluminum-Polyester Laminate Shield with 24 AWG Tinned Copper Drain Wire Polyolefin Insulation Gray PVC Jacket with Rip Cord	Data, LAN and Networking Cable	
	1376A	Belden® DataTwist® Category-6 4 Twisted Pairs Outdoor FTP 23 AWG Solid Bare Copper Conductors Overall Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Polyolefin Insulation Black Polyethylene Jacket	Outdoor Data, LAN and Networking Cable; RJ-45 Compatible	



Belden Fiber Optic Cables

Illustration	Product Code	Description	Application	Unit Price
	NTAP53AA 006AQ	Belden Tight Buffered Fiber Optic Cable 50/125 OM3 Multi Mode 6-Core 900 Micron PVC Tight Buffer Aramid Yarn Strength Member Flame Retardant PVC Jacket (Aqua)	Campus Backbone, Riser and Distribution Fiber Optic Cable	
	NTAP53AA 012AQ	Belden Tight Buffered Fiber Optic Cable 50/125 OM3 Multi Mode 12-Core 900 Micron PVC Tight Buffer Aramid Yarn Strength Member Flame Retardant PVC Jacket (Aqua)	Campus Backbone, Riser and Distribution Fiber Optic Cable	
	KDO101 Family J-V(ZN) Y 2G 62.5	CDT Optics Fiber Optic Cable 62.5/125 Multi-Mode Duplex Tight Buffer Thermoplastic Tube Aramid Yarn Strength Member Orange PVC Sheath	Duplex Fiber Optic Patch Cable	


Belden RG-59/U Coaxial Cables

Illustration	Product Code	Description	Application	Unit Price
	8241	Belden® RG-59/U 75 Ohms Coaxial Cable 23 AWG Solid Bare Copper Covered Steel Conductor 95% Bare Copper Braid Shield Polyethylene Insulation Black PVC Jacket	Standard Analog Audio and Video Coaxial Cable	
	9104	Belden® RG-59/U 75 Ohms Coaxial Cable 20 AWG Solid Bare Copper Covered Steel Conductor Duobond® II + 67% Aluminum Braid Shield Gas-Injected Foam Polyethylene Insulation Black PVC Jacket	CATV and Broadband Coaxial Cable	
	551945	Belden® RG-59/U 75 Ohms Coaxial Cable 22 AWG Stranded Bare Copper Conductor 93% Bare Copper Braid Shield Foam Polyethylene Insulation Black PVC Jacket	Surveillance, Security and CCTV for use in moving applications	
	543945	Belden® RG-59/U 75 Ohms Coaxial Cable 20 AWG Solid Bare Copper Conductor 93% Bare Copper Braid Shield Foam Polyethylene Insulation Black PVC Jacket	Surveillance, Security and CCTV for use in fixed applications	





Belden RG-6/U Coaxial Cables

Illustration	Product Code	Description	Application	Unit Price
	9116	Belden® RG-6/U 75 Ohms Coaxial Cable 18 AWG Solid Bare Copper Covered Steel Conductor Duobond® II + 60% Aluminum Braid Shield Gas-Injected Foam Polyethylene Insulation Black PVC Jacket	CATV, Broadband and CCTV Coaxial Cable	
	1530A	Belden® RG-6/U 75 Ohms Coaxial Cable 18 AWG Solid Bare Copper Covered Steel Conductor Duobond® II + 90% Aluminum Braid Shield Gas-Injected Foam Polyethylene Insulation Black PVC Jacket	CATV, Broadband and CCTV Coaxial Cable	


Belden RG-11/U Coaxial Cables

Illustration	Product Code	Description	Application	Unit Price
	1523A	Belden® RG-11/U 75 Ohms Coaxial Cable 14 AWG Solid Bare Copper Covered Steel Conductor Duobond® II + 60% Aluminum Braid Shield Gas-Injected Foam Polyethylene Insulation Black PVC Jacket	Broadband Coaxial and CATV Cable	


Belden Digital Coaxial Cables

Illustration	Product Code	Description	Application	Unit Price
	179DT	Belden® Sub-Miniature DigiTruck® Digital Video Coaxial Cable RG-179/U 28.5 AWG 75 Ohms Coaxial Cable Solid Bare Copper Conductor Duofoil® + 95% Tinned Copper Braid Shield Gas-Injected Foam HDPE Insulation Black PVC Jacket	Sub-Miniature Digital Coaxial Video Cable for Mobile Broadcast Trucks	
	1855A	Belden® RG-59/U 75 Ohms SDI Coaxial Cable 23 AWG Solid Bare Copper Conductor Duofoil® + 95% Tinned Copper Braid Shield Gas-Injected Foam HDPE Insulation Black PVC Jacket	Miniature Precision Digital Video Cable for SDI and HDTV	
	1505A	Belden® RG-59/U 75 Ohms SDI Coaxial Cable 20 AWG Solid Bare Copper Conductor Duofoil® + 95% Tinned Copper Braid Shield Gas-Injected Foam HDPE Insulation Black PVC Jacket	Precision Digital Video Cable for SDI and HDTV	
	1694A 6.44	Belden® RG-6/U 75 Ohms SDI Coaxial Cable 18 AWG Solid Bare Copper Conductor Duofoil® + 95% Tinned Copper Braid Shield Gas-Injected Foam HDPE Insulation Black PVC Jacket	Precision Digital Video Cable for SDI and HDTV	




Belden RG-6/U ControlNet™ Coaxial Cable

Illustration	Product Code	Description	Application	Unit Price
	3092A	Belden® ControlNet™ RG-6/U 75 Ohms Quad-Shielded Coaxial Cable 18 AWG Solid Bare Copper Covered Steel Conductor Duobond® IV Quad Shield (Foil/Braid/Foil/Braid) Gas-Injected Foam Polyethylene Insulation Black PVC Jacket	CATV, Broadband and CCTV Coaxial Cable	




Belden RG-179 Telecommunications Cable

Illustration	Product Code	Description	Application	Unit Price
	83264	Belden® RG-179B/U MIL-C-17G QPL Cable 30 AWG Stranded Silver-Coated Copper-Covered Steel (SCCCS) Conductor Silver-Coated Copper Braid Shield TFE Insulation Tinted Brown FEP Jacket	Telecom Transmission Cable	


Belden Component Video Cables and Accessories

Illustration	Product Code	Description	Application	Unit Price
	1277R	Belden® RG-179 75 Ohms Precision Miniature Coaxial Cable (3 Coaxial Cables) 25 AWG Solid Tinned Copper Conductors Duobond® + 95% Tinned Copper Braid Shield Cotton Interlocking Wrap Gas-Injected Foam Polyethylene Insulation Color-Coded (Red, Green and Blue) Individual Coaxial Jackets Matte Black Overall PVC Jacket	Precision Component Video Interconnect, HDTV and RGB	
	1281R	Belden® RG-179 75 Ohms Precision Miniature Coaxial Cable 25 AWG Solid Tinned Copper Conductors Duobond® + 95% Tinned Copper Braid Shield Gas-Injected Foam HDPE Insulation Black PVC Jacket	Precision Miniature Video Patch Cable Connections, Video Interconnects	
	HC2910A	Belden® Crimp-Type RCA Connector for 1277R / 1279R / 1281R Solid One-Piece Gold-Plated Brass Body and Gold-Plated Central Conductor True 75 Ohms Impedance Crimped using Compression Tool (No Solder)	RCA Connections	




Belden Special Audio Snake Cables

Illustration	Product Code	Description	Application	Unit Price
	1218B	Belden® 22 AWG 6 Pairs Snake Cable Stranded Tinned Copper Conductors 70 Ohms; Twisted Pairs Individually-Shielded with 100% Beldfoil® Datalene® Insulation Black PVC Jacket with Nylon Rip Cord	Flexible Analog Audio Snake Cable	
	1220B	Belden® 22 AWG 12 Pairs Snake Cable Stranded Tinned Copper Conductors 70 Ohms; Twisted Pairs Individually-Shielded with 100% Beldfoil® Datalene® Insulation Black PVC Jacket with Nylon Rip Cord	Flexible Analog Audio Snake Cable	
	1427B	Belden® 24 Pairs Audio Cable 22 AWG Stranded Tinned Copper Conductors Individually-Shielded with 100% Beldfoil® and Drain Wire Per Pair Datalene® Insulation Matte Black PVC Jacket with Nylon Rip Cord	Flexible Analog Audio Snake Cable	



Belden Microphone Cables

Illustration	Product Code	Description	Application	Unit Price
	8422	Belden® 22 AWG 2 Conductor Stranded High-Conductivity Tinned Copper Cabled Conductors; Cotton Braid 85% Tinned Copper Braid Shield Polyethylene Insulation Chrome PVC Jacket	Microphone and Instrumentation Cable	



Belden Special Digital Audio Cable

Illustration	Product Code	Description	Application	Unit Price
	1800B	Belden® 24 AWG 1 Twisted Pair Stranded Tinned Copper Conductor Overall 100% Beldfoil® Shield 24 AWG Drain Wire Datalene® Insulation Slate Gray PVC Jacket	Digital Audio Cable	
	8759	Belden® Audio Cable 20 AWG 1 Twisted Pair Stranded Tinned Copper Conductors 89% Tinned Copper Spiral Wrapped Shield PVC Insulation; Chrome PVC Jacket	Audio Cable	
	9451	Belden® 22 AWG 1 Twisted Pair Cable Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 22 AWG Stranded Tinned Copper Drain Wire Polyolefin Insulation; PVC Jacket	Audio Cable	





Belden RG-58/U Computer Transmission and RF Coaxial Cables

Illustration	Product Code	Description	Application	Unit Price
	8240	Belden® RG-58/U 50 Ohms Coaxial Cable 20 AWG Solid Bare Copper Conductor 95% Tinned Copper Braid Shield Polyethylene Insulation Black PVC Jacket	Transmission and Computer Cable	
	8259	Belden® RG-58A/U 50 Ohms Coaxial Cable 20 AWG Stranded Tinned Copper Conductor 95% Tinned Copper Braid Shield Polyethylene Insulation Black PVC Jacket	Transmission and Computer Cable	


Belden RG-8/U Computer Transmission and RF Coaxial Cables

Illustration	Product Code	Description	Application	Unit Price
	8237	Belden® RG-8/U 50 Ohms Coaxial Cable 13 AWG Stranded Bare Copper Conductor 97% Bare Copper Braid Shield Polyethylene Insulation Black PVC Jacket	Computer and Data Transmission Cable	
	9913	Belden® RG-8/U 50 Ohms Coaxial Cable 10 AWG Solid Bare Copper Conductor 100% Shield Coverage Duobond® II + 90% Tinned Copper Braid Shield Semi-Solid Polyethylene Insulation Black PVC Jacket	Low Loss Wireless RF Transmission Cable	



Belden Unshielded Audio, Control and Instrumentation Cables (2 Conductors)

Illustration	Product Code	Description	Application	Unit Price
	8442	Belden® 22 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Unshielded Type PVC Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8205	Belden® 20 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Unshielded Type PVC Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8471	Belden® 16 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Unshielded Type PVC Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8473	Belden® 14 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Unshielded Type PVC Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	


Belden Multimedia Cable

Illustration	Product Code	Description	Application	Unit Price
	1502R	Belden® Multimedia Control Cable 1 Pair 22AWG Stranded Tinned Copper Conductors With FPE Insulation and Overall 100% Beldfoil® Shield and Drain Wire (Data Cable) 1 Pair 18AWG Stranded Tinned Copper Conductors With FPE Insulation Unshielded (Power Cable) 24 AWG Stranded Tinned Copper Drain Wire White PVC Jacket	Multimedia Controls, Audio/Video	


Belden Audio, Control and Instrumentation Cable (1 Pair)

Illustration	Product Code	Description	Application	Unit Price
	8719	Belden® 16 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 18 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8720	Belden® 14 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 16 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8760	Belden® 18 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 20 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8761	Belden® 22 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 22 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8762	Belden® 20 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 22 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	





Belden Audio, Control and Instrumentation Cable (3 Pairs)

Illustration	Product Code	Description	Application	Unit Price
	8777	Belden® 22 AWG 3 Twisted Pairs Stranded Tinned Copper Conductors Individual 100% Beldfoil® Shield 22 AWG Stranded Tinned Copper Drain Wire Polypropylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	


Belden Audio, Control and Instrumentation Cable (2 Pairs)

Illustration	Product Code	Description	Application	Unit Price
	8723	Belden® 22 AWG 2 Twisted Pairs Stranded Tinned Copper Individual 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Polypropylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	




Belden Audio, Control and Instrumentation Cable (3 Conductors)

Illustration	Product Code	Description	Application	Unit Price
	8618	Belden® 16 AWG 3 Conductors Stranded Tinned Copper (Cabled) Overall 100% Beldfoil® Shield 18 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8770	Belden® 18 AWG 3 Conductors Stranded Tinned Copper (Cabled) Overall 100% Beldfoil® Shield 20 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8771	Belden® 22 AWG 3 Conductors Stranded Tinned Copper (Cabled) Overall 100% Beldfoil® Shield 22 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	
	8772	Belden® 20 AWG 3 Conductors Stranded Tinned Copper (Cabled) Overall 100% Beldfoil® Shield 20 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	



Belden Audio, Control and Instrumentation Cable (4 Conductors)

Illustration	Product Code	Description	Application	Unit Price
	9418	Belden® 18 AWG 4 Conductors Stranded Tinned Copper (Cabled) Overall 100% Beldfoil® Shield 20 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	Audio, Control and Instrumentation Cable	








Belden Multi-Pair RS-485 Application Cables

Illustration	Product Code	Description	Application	Unit Price
	9841	Belden® RS-485 24 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® + 90% Tinned Copper Braid Shield 24 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Low-Capacitance Computer Cable, EIA RS-485 Applications	
	9842	Belden® RS-485 24 AWG 2 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® + 90% Tinned Copper Braid Shield 24 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Low-Capacitance Computer Cable, EIA RS-485 Applications	
	9843	Belden® RS-485 24 AWG 3 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® + 90% Tinned Copper Braid Shield 24 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Low-Capacitance Computer Cable, EIA RS-485 Applications	



Belden Multi-Pair RS-232 and RS-422 Application Cables

Illustration	Product Code	Description	Application	Unit Price
	9830	Belden® 24 AWG 3 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® + 65% Tinned Copper Braid Shield 24 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Low-Capacitance Computer Cable, EIA RS-232 and EIA RS-422 Applications	
	9832	Belden® 24 AWG 5 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® + 65% Tinned Copper Braid Shield 24 AWG Stranded Tinned Copper Drain Wire Polyethylene Insulation Chrome PVC Jacket	Low-Capacitance Computer Cable, EIA RS-232 and EIA RS-422 Applications	


Belden High Temperature Instrumentation and RS-232 Cables (1 to 6 Pairs)

Illustration	Product Code	Description	Application	Unit Price
	9501	Belden® 24 AWG 1 Twisted Pair Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	
	9502	Belden® 24 AWG 2 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	
	9503	Belden® 24 AWG 3 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	
	9504	Belden® 24 AWG 4 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	
	9505	Belden® 24 AWG 5 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	
	9506	Belden® 24 AWG 6 Twisted Pairs Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	
	9536	Belden® 24 AWG 6 Conductors Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield 24 AWG Stranded Tinned Copper Drain Wire Semi-Rigid PVC Insulation Chrome PVC Jacket	High-Temperature Control, Instrumentation and RS-232 Computer Cable	



Belden Twinaxial Computer and Instrumentation Cables

Illustration	Product Code	Description	Application	Unit Price
	9207 6.84	Belden® Twinaxial Cable 1 20 AWG Tinned Copper Conductor 1 20 AWG Bare Copper Conductor; 100 Ohms Duofoil® II + 86% Tinned Copper Braid Shield 100% Shield Coverage Polyethylene Insulation Black PVC Jacket	Computer and Instrumentation Cable	
	9463 6.83	Belden® Bluehose® Twinaxial Cable 2 20 AWG Stranded Tinned Copper Conductors 100% Beldfoil® + 55% Tinned Copper Braid Shield; 78 Ohms Polyethylene Insulation Blue PVC Jacket	Industrial Data Highway Cable	









Belden Profibus® Cables

Illustration	Product Code	Description	Application	Unit Price
	3079A	Belden® DataBus® ISA/SP-50 Foundation Profibus DP Cable 2 Conductor 22 AWG Solid Bare Copper Conductors Overall 100% Beldfoil® Shield with 65% Tinned Copper Braiding and Ground Wire Foam Polyethylene Insulation Violet PVC Jacket	Industrial Data Profibus Cable	







Belden Fieldbus® Cable

Illustration	Product Code	Description	Application	Unit Price
	3076F	Belden® DataBus® ISA/SP-50 Foundation Fieldbus Cable 2 18 AWG Stranded Tinned Copper Conductors Cellular Polyolefin Insulation Overall 100% Beldfoil® Shield with Tinned Copper Ground Wire Orange PVC Jacket	Industrial Data Fieldbus Cable	
 High Speed (1.0 and 2.5Mbits/Sec)	3078F 15.19	Belden® DataBus® ISA/SP-50 Foundation Fieldbus Cable 2 22 AWG Stranded Tinned Copper Conductors Overall 100% Beldfoil® Shield with Tinned Copper Ground Wire Cellular Polyolefin Insulation Orange PVC Jacket	Industrial Data Fieldbus Cable	


Belden New Generation® Fire Alarm, Control and Security System Cables

Illustration	Product Code	Description	Application	Unit Price
	5300UE 13.8	Belden® New Generation® 18 AWG 2 Conductors 7-Strand Bare Copper Conductors PVC Insulation; Gray PVC Jacket with Rip Cord	Fire and Security Systems	
	5304FE 13.12	Belden® New Generation® 18 AWG 6 Conductors 7-Strand Bare Copper Conductors Beldfoil® Shield Tape Color-Coded PVC Insulation Gray PVC Jacket with Rip Cord	Fire and Security Systems	
	5220FL 13.36	Belden® New Generation® 16 AWG 2 Conductors Solid Bare Copper Conductors Beldfoil® Shield Tape PVC Insulation; Red PVC Jacket with Rip Cord	Fire and Security Systems	
	5320FL 13.36	Belden® New Generation® 18 AWG 2 Conductors Solid Bare Copper Conductors Beldfoil® Shield Tape PVC Insulation; Red PVC Jacket with Rip Cord	Fire and Security Systems	
	5322FL	Belden® New Generation® 18 AWG 4 Conductors Solid Bare Copper Conductors Beldfoil® Shield Tape PVC Insulation; Red PVC Jacket with Rip Cord	Fire and Security Systems	
	5202UE 13.9	Belden® New Generation® 16 AWG 4 Conductors Stranded Bare Copper Conductors Color-Coded PVC Insulation Gray PVC Jacket with Rip Cord	Fire and Security Systems	
	5205UE 13.9	Belden® New Generation® 16 AWG 7 Conductors Stranded Bare Copper Conductors Color-Coded PVC Insulation Gray PVC Jacket with Rip Cord	Fire and Security Systems	
	5545FE	Belden® New Generation® 22 AWG 6 Twisted Pairs Stranded Bare Copper Conductors Overall Beldfoil® Shield (Foiled Side Out) and Drain Wire Polypropylene Insulation PVC Jacket with Rip Cord	Fire and Security Systems	

Belden High Definition BNC Connectors and F-Type Connectors

Illustration	Product Code	Description	Order Quantity	Unit Price
 <i>Color Band varies depending on model</i>	1855ABHD1	Belden® Double Bubble Compression Type BNC Connector for Belden® 1855A SDI HD Coaxial Cable True 75 Ohms; Tested up to 4.5GHz Solid Brass Body with Nickel Plating	50 Pieces	
 <i>Color Band varies depending on model</i>	1505ABHD1	Belden® Double Bubble Compression Type BNC Connector for Belden® 1505A SDI HD Coaxial Cable True 75 Ohms; Tested up to 4.5GHz Solid Brass Body with Nickel Plating	50 Pieces	
 <i>Color Band varies depending on model</i>	1694ABHD1	Belden® Double Bubble Compression Type BNC Connector for Belden® 1694A SDI HD Coaxial Cable True 75 Ohms; Tested up to 4.5GHz Solid Brass Body with Nickel Plating	50 Pieces	
	DB6U	Belden® Double Bubble Compression Type F-Connector for Belden® RG-6 Coaxial Cables True 75 Ohms; Solid Brass Body with Nickel Plating Rubber O-Ring for Weathersealing	50 Pieces	
	AP700007	Belden IBDN RJ-45 Modular Connector Compatible with Belden Category-5e and 6 UTP Cables with 24AWG Conductor Size	50 Pieces	
	AP700008	Belden IBDN RJ-45 Modular Connector Compatible with Belden Category-6 UTP Cables	50 Pieces	

Belden High Definition BNC Connectors Tools

Illustration	Product Code	Description	Order Quantity	Unit Price
	DBPSAKIT	Belden® Compression Tool and Cable Stripper Kit For use on Belden HD Double Bubble Compression Type Connectors (all sizes and types) <i>(Illustration may vary from actual product due to continuous improvements)</i>	1 Set	